



# Stampede® (Model 36054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 4607** Ball bearings (5x11x4mm) (8)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

## Body & Accessories

- 1926** Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 3934** Body clips, heavy duty (12)
- 1914R** Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 Body mounts (front & rear)
- 3619** Body mounts, front & rear/ body mount posts, front & rear (adjustable)/ 2.5x18mm screw pins (4)
- 1815 Body washers (8)
- 6716** Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)
- 3617** Body, Stampede® (clear, requires painting) (requires #3614 to mount)
- 3649** Body, Stampede®, Hawaiian graphics (painted, decals applied)
- 3648** Body, Stampede®, Rock n' Roll (painted, decals applied)
- 2514** Decal sheet, racing sponsors
- 3616 Decal sheets, Stampede®
- 9950** Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 5185** Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 4974** Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677A** Wheelie bar mount (1) / hardware (green)
- 3677P** Wheelie bar mount (1) / hardware (pink)
- 3677** Wheelie bar mount (1)/ hardware (black)
- 3677X** Wheelie bar mount (1)/ hardware (blue)
- 3678** Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678X** Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678A** Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678T** Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678P** Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678R** Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 4976** Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
- 5186A** Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186** Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

## Chassis & Attachments

- 3725X** Battery expansion kit (allows for installation of taller multi-cell battery packs) (Rustler, Bandit, Stampede) (requires part #3627X)
- 3627X Battery hold-down (gray) (1) / receiver hold-down (grey) (1) / metal posts (2)/ spacers (2)/ body clips (2)/ servo tape/ adhesive foam pad
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P** Bumper (front) (pink)
- 3622X** Main chassis (black) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
- 3622R Main chassis (gray) (164mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3626R ESC mounting plate)
- 3626R Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 3623 Skid plates, front & rear (black)
- 3623X** Skid plates, front & rear (blue)
- 3623A** Skid plates, front & rear (green)
- 3623P** Skid plates, front & rear (pink)
- 5185** Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
- 4974** Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
- 3677A** Wheelie bar mount (1) / hardware (green)
- 3677P** Wheelie bar mount (1) / hardware (pink)
- 3677** Wheelie bar mount (1)/ hardware (black)

- 3677X** Wheelie bar mount (1)/ hardware (blue)
- 3678** Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678X** Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678A** Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678T** Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678P** Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 3678R** Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series)
- 9460** Wheelie bar, black (assembled)/ wheelie bar mount
- 4976** Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
- 5186A** Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
- 5186** Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)

## Differential Components

- 2380** Differential, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

## Driveline Components

- 5116** Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X** Differential output yokes, hardened steel (w/ U-joints) (2)
- 6828X** Differential output yokes, heavy duty (2)/ screw pin (2)
- 1951R** Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)
- 1953** Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)
- 6752** Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)
- 6751** Half shaft, internal splined (steel-spline constant-velocity) (1)
- 6850X** Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757** Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
- 3652A** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652T** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3652P** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X** Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2754 Stub axle pins (4)
- 6753** Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
- 2753X Stub axles, rear (2)
- 6853X** Stub axles, rear, heavy duty (2)/pins (2)

## Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728** Ball bearings (5x8x2.5mm) (2)
- 5116** Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 2530** Bulkhead (front) (black)
- 2530A Bulkhead (front) (gray)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 3632 Caster blocks (l&r) (30-degree)
- 3632A** Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)

## Page 2 Stampede®: TQ™ 2.4 GHz radio (Model 36054-1) Parts List

3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	1834	Body clips (12) (standard size)
3632T	Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	3934	<b>Body clips, heavy duty (12)</b>
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	1589	Double-sided adhesive tape (25mm x 25mm) (2)
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)	2745	Nuts, 3mm nylon locking (12)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)	1747	Nuts, 4mm nylon locking (10)
2742	Rod ends, long (6)/ hollow ball connectors (6)	1747R	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
5347	Rod ends, Revo® (large) with hollow balls (12)	1747G	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
2742X	Rod ends, short (6)/ hollow balls (6)	1747T	<b>Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)</b>
1844	Servo saver	1747P	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
3639	Shock tower (front)	1747A	<b>Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)</b>
3736	Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
3636G	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	5525R	<b>Rod ends, heavy duty (Jato®/Slayer) (8)</b>
3636T	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)	5347	<b>Rod ends, Revo® (large) with hollow balls (12)</b>
3636P	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2742X	Rod ends, short (6)/ hollow balls (6)
3636X	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	3739	Screw pin set (Rustler®, Bandit®, Stampede®)
3631	Suspension arms (front) (2)	3229	Screws, 2.5x10mm cap-head machine (hex drive) (8)
3631X	Suspension arms, black, front, heavy duty (2)	3965	Screws, 2.5x8mm cap-head machine (6)
3631A	Suspension arms, blue, front, heavy duty (2)	2587	Screws, 3x10mm cap-head machine (6) (no washer)
3631G	Suspension arms, green, front, heavy duty (2)	2675	Screws, 3x10mm roundhead self-tapping (6)
3631T	Suspension arms, orange, front, heavy duty (2)	2648	Screws, 3x12mm countersunk self-tapping (6)
3631R	Suspension arms, red, front, heavy duty (2)	3186	Screws, 3x12mm washerhead machine (6)
3631L	Suspension arms, white, front, heavy duty (2)	3286	Screws, 3x12mm washerhead self-tapping (6)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)	2563	Screws, 3x15mm roundhead machine (6)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	3187	Screws, 3x15mm washerhead machine (6)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)	3288	Screws, 3x15mm washerhead self-tapping (6)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	2566	Screws, 3x20mm roundhead machine (6)
2532	Tie bar, fiberglass (requires suspension pins, part# 2640)	2567	Screws, 3x23mm roundhead machine (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)	2572	Screws, 3x30mm roundhead machine (6)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set)	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3139	Turnbuckles (62mm) (front tie rods) (2)	2558	Screws, 3x6mm roundhead machine (6)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)	3290	Screws, 3x8mm washerhead self-tapping (6)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2548	Screws, 4x12mm countersunk machine (100-degree) (6)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	2573	Screws, 4x15mm roundhead machine (6)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)	2754	Stub axle pins (4)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	2746	<b>Washers, 3x6mm metal (12)</b>
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)	<b>Motors &amp; Electronics</b>	
<b>Hardware</b>		1552	<b>Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench</b>
1926	Antenna caps, vinyl (2)/ antenna spool	2260	<b>BEC assembly (complete)</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	3790	Gear adapter, fixed
3642	Shoulder screws, Ultra Shocks (3x12) (6)	2072A	<b>Gear set (for 2070, 2075 servos)</b>
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench	1275	<b>Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)</b>
		3785	Motor, Titan® 12T (12-Turn, 550 size)
		3351R	<b>Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)</b>
		3626R	Mounting plate, electronic speed control/receiver box (for installation of XL-5/VXL and waterproof receiver box into Stampede®)
		2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
		2053	Servo gears (for 2055, 2056 servos)
		2075R	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
		2075	<b>Servo, digital high-torque (ball bearing), waterproof</b>
		2075X	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
		2056	Servo, high-torque, waterproof (blue case)
		3350R	<b>Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))</b>
		3355R	<b>Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)</b>
		3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)
		<b>Radio System, Batteries &amp; Chargers</b>	
		2842X	<b>5000mAh 7.4v 2-Cell 25C LiPo Battery</b>
		2843X	<b>5800mAh 7.4v 2-Cell 25C LiPo Battery</b>
		2869X	<b>7600mAh 7.4v 2-Cell 25C LiPo Battery</b>
		2976	<b>AC to DC converter, 40W</b>
		2938X	<b>Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)</b>
		1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
		2943	<b>Battery charge indicators (green (4), blue (4), gray (4))</b>

**Page 3 Stampede®: TQ™ 2.4 GHz radio (Model 36054-1) Parts List**

- 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2922X Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2926X Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
- 2942X Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2941X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
- 2952X Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2951X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2961X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
- 2984 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
- 2260 BEC assembly (complete)
- 2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2973 Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 2970 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2072A Gear set (for 2070, 2075 servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6557X Mount, telemetry expander (fits Stampede® 2WD)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6522 Sensor, RPM (short)/ 3x4mm BCS (2)
- 6521 Sensor, temperature and voltage (long)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2053 Servo gears (for 2055, 2056 servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2056 Servo, high-torque, waterproof (blue case)
- 6553X Telemetry expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6538 Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6528 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link™ Wireless Module
- 6537 Wire retainers, gear cover/ 3x4mm BCS (2)
- 3018R XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

**Ready-To-Race Model**

- 36054-1 Stampede®: 1/10 Scale Monster Truck with TQ™ 2.4GHz radio system

**Rear Suspension**

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 3739 Screw pin set (Rustler®, Bandit®, Stampede®)
- 3638 Shock tower (rear)
- 3752 Stub axle carriers (2) (requires 5x11x4mm bushings and bearings)
- 3652A Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
- 3652G Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
- 3652T Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
- 3652P Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
- 3652X Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
- 2753X Stub axles, rear (2)
- 3655P Suspension arms, blue, front/rear (left & right), heavy duty (2)
- 3655R Suspension arms, front/rear (left & right), heavy duty (2)
- 3655G Suspension arms, green, front/rear (left & right), heavy duty (2)
- 3655X Suspension arms, left & right
- 3655T Suspension arms, orange, front/rear (left & right), heavy duty (2)
- 3655L Suspension arms, red, front/rear (left & right), heavy duty (2)
- 3655A Suspension arms, white, front/rear (left & right), heavy duty (2)
- 3640 Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)

**Shock Oil**

- 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
- 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
- 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
- 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
- 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
- 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 1667 Silicone shock oil (30 wt), 60cc
- 5038 Spinning carousel rack

**Shocks (Pro-level Aluminum)**

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
- 2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (Big Bore Shocks) (2)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 5860 Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
- 5859 Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

**Shocks (Ultra Shocks)**

- 3642 Shoulder screws, Ultra Shocks (3x12) (6)
- 3765A Body, Ultra Shock(s) (long) (gray) (2)
- 3766A Body, Ultra Shock(s) (XL) (gray) (2)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)

## Page 4 Stampede®: TQ™ 2.4 GHz radio (Model 36054-1) Parts List

3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)	3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)	3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)	3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)	3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1664	Shock shafts, steel, chrome finish (long) (2)	1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2656	Shock shafts, steel, chrome finish (xx-long) (2)	2336	Turnbuckles, 78mm (optional rear camber rods) (2)
1765	Silicone diaphragms (4)	3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)	2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))	3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3758	Springs, front (black) (2)	3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3758T	Springs, front (blue) (2)	3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3758A	Springs, front (green) (2)	3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3758P	Springs, front (pink) (2)	2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3758X	Springs, front (white) (2)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3757	Springs, rear (black) (2)	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3757T	Springs, rear (blue) (2)	3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)
3757A	Springs, rear (green) (2)		
3757P	Springs, rear (pink) (2)		
3757X	Springs, rear (white) (2)		
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)		
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)		
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)		
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)		
3762A	Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)		

### Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

### Spur Gears & Pinion Gears

3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2421	Gear, 21-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

### Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2742	Rod ends, long (6)/ hollow ball connectors (6)
1844	Servo saver
2336	Turnbuckles, 78mm (2)
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

### Suspension Linkage

3642	Shoulder screws, Ultra Shocks (3x12) (6)
3641A	Camber link set (plastic / non-adjustable) ( front & rear) (gray)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®, Bandit®, Stampede®)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)

3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)

### Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

### Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
3689	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3668A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2) (TSM rated)
3668	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (2WD electric rear) (2)
3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/ electric front) (2)
3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)
3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)

**Page 5 Stampede®: TQ™ 2.4 GHz radio (Model 36054-1) Parts List**

3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	3432
5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)	3431
6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)	8712
3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)	8721
3663X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (2WD electric rear) (2)	8720
3665X	Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)	8722
3663	Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (2WD electric rear) (2)	8710
3665	Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)	
5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)	
1970	Tires, low-profile spiked 2.2" (2)	
4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)	
4790R	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)	
1870	Tires, Sledgehammer® terra-spiked (2)	
3671	Tires, Talon 2.8" (2)/ foam inserts (2)	
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)	
3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)	
5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm	
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)	
5480X	Wheel wrench, splined, 17mm	
3772A	Wheels, All-Star 2.8" (black chrome) (2WD electric rear)	
5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)	
3772	Wheels, All-Star 2.8" (chrome) (2WD electric rear)	
5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)	
3673	Wheels, chrome (2.2") (front) (2)	
3672	Wheels, chrome (2.2") (rear) (2)	
3675	Wheels, dyeable nylon 2.2 (front) (2)	
3674	Wheels, dyeable nylon 2.2 (rear) (2)	
3774	Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)	
5572	Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)	

**Transmission Components**

1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
4607	Ball bearings (5x11x4mm) (8)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3790	Gear adapter, fixed
3691	Gearbox halves (l&r) (black) w/ idler gear shaft
3691A	Gearbox halves (l&r) (gray) w/ idler gear shaft
5148	Grease, white lithium
9492	Idler gear, 30-tooth/ idler gear shaft (steel)
3696	Idler gear, steel (30-tooth)
9494	Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash 2WD)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)

**Traxxas Tools**

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer

	Scissors, curved tip	
	Scissors, straight tip	
	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive	
	Speed bit handle, medium (one piece)	
	Speed bit handle, premium, large (rubber overmold)	
	Speed bit handle, premium, medium (rubber overmold)	
	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),	
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive	
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive	
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive	
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive	
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive	
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive	
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)	
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle	

**Turnbuckles & Threaded Rods**

1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set)
3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
2336A	Turnbuckles, aluminum (blue-anodized), toe links, 61mm (2) (assembled w/ rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
2336X	Turnbuckles, aluminum (red-anodized), toe links, 61mm (2) (assembled with rod ends & hollow balls) (fits Stampede®) (requires 5mm aluminum wrench #5477)
3645	Turnbuckles, toe link, 61mm (96mm center to center) (2) (assembled with rod ends and hollow balls) (fits Stampede®)