



Ford® F-150 Raptor (Model 58094-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

| | |
|------|--------------------------------------------------------------|
| 4607 | Ball bearings (5x11x4mm) (8) |
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 1675 | Bushings, self-lubricating (5x11x4mm) (14) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |

Body & Accessories

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 5828 | Body accessories kit, 2017 Ford Raptor® (includes grille, hood insert, side mirrors, & mounting hardware) |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) |
| 3935A | Body clip (mounting clip), angled, 90-degrees (black) (10) |
| 3934 | Body clips, heavy duty (12) |
| 1914R | Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware |
| 1815 | Body washers (8) |
| 6716 | Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4) |
| 5826A | Body, Ford Raptor®, black (heavy duty)/ decals |
| 5826T | Body, Ford Raptor®, Fox (heavy duty)/ decals |
| 5826 | Body, Ford Raptor®, heavy duty (clear, requires painting)/ decals |
| 2514 | Decal sheet, racing sponsors |
| 5829 | Mirrors, side (left & right)/ mounts (left & right)/ 2.6x8mm BCS (2) |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |

Chassis & Attachments

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| 5526 | Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools |
| 5526R | Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools |
| 1914R | Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware |
| 5624 | Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) |
| 5834 | Bumper, front/ bumper mount, front/ adapter (fits 2017 Ford Raptor) |
| 5836 | Bumper, rear/ bumper mount, rear (black) |
| 5836P | Bumper, rear/ bumper mount, rear (pink) |
| 5830 | Chassis conversion kit, low CG (Slash) |
| 5832 | Chassis, low CG (black) |
| 5832A | Chassis, low CG (blue) |
| 5832G | Chassis, low CG (gray) |
| 5822 | Chassis, Slash |
| 5822A | Chassis, Slash (black) |
| 5827 | Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip |
| 5827X | Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries) |
| 5831 | Lower chassis, low CG (black) |
| 5831A | Lower chassis, low CG (blue) |
| 5831G | Lower chassis, low CG (gray) |
| 5823 | Nerf bars, chassis (black) |
| 5833 | Nerf bars, low CG (black) |
| 5833A | Nerf bars, low CG (blue) |
| 5833G | Nerf bars, low CG (gray) |
| 5625 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 5837 | Skidplates, front & rear (black) |
| 5185 | Tires, rubber (2) (fits Traxxas® wheelie bar wheels) |
| 4974 | Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) |
| 3677A | Wheelie bar mount (1) / hardware (green) |
| 3677P | Wheelie bar mount (1) / hardware (pink) |
| 3677 | Wheelie bar mount (1)/ hardware (black) |
| 3677X | Wheelie bar mount (1)/ hardware (blue) |
| 3678 | Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®, Stampede® series) |
| 3678X | Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®, Stampede® series) |
| 3678A | Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®, Stampede® series) |
| 3678T | Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®, Stampede® series) |
| 3678P | Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®, Stampede® series) |
| 3678R | Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series) |
| 4976 | Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) |

| | |
|-------|--------------------------------------------------------------------------------------------|
| 5186A | Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) |
| 5186 | Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2) |

Differential Components

| | |
|-------|----------------------------------------------------------------------------------------------------|
| 2380 | Differential, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash) |
| 2381X | Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®) |
| 2382 | Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel |
| 2388X | Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®) |
| 5169 | Screws, 2.6x8mm countersunk machine (6) |
| 1647 | Silicone grease |

Driveline Components

| | |
|-------|----------------------------------------------------------------------------------------------------------------------|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 9059X | Cross pin (2)/ drive pin (2) (repairs 1 axle shaft) |
| 9057X | Differential output shafts, steel-splined constant-velocity (2) |
| 4628R | Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) |
| 4628X | Differential output yokes, hardened steel (w/ U-joints) (2) |
| 6828X | Differential output yokes, heavy duty (2)/ screw pin (2) |
| 6852A | Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1) |
| 6852X | Driveshaft assembly, rear, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1) |
| 6852R | Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) |
| 9052X | Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) |
| 1953 | Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only) |
| 9055X | Half shaft, external splined (steel-spline constant velocity) (1) |
| 9056X | Half shaft, internal splined (steel-spline constant velocity) (1) |
| 6850X | Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4) |
| 1951 | Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4) |
| 9058X | Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft) |
| 3752 | Stub axle carriers (2) (requires 5x11x4mm bearings) |
| 3652A | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3652G | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3652T | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) |
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652X | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 2754 | Stub axle pins (4) |
| 9053X | Stub axle, rear, steel-splined constant velocity (1) |
| 2753X | Stub axles, rear (2) |
| 6853X | Stub axles, rear, heavy duty (2)/pins (2) |

Front Suspension & Steering

| | |
|-------|-----------------------------------------------------------------------------------------------------|
| 3637 | Axles (front) (2) |
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 2530 | Bulkhead (front) (black) |
| 2530A | Bulkhead (front) (gray) |
| 3632 | Caster blocks (l&r) (30-degree) |
| 3632A | Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632G | Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632T | Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632P | Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 3632X | Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2) |
| 5347 | Rod ends, Rev o® (large) with hollow balls (12) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |

Page 2 Ford® F-150 Raptor: TQ™ 2.4GHz Radio (Model 58094-1) Parts List

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 3744 | Servo saver w/adapters |
| 3639 | Shock tower (front) |
| 3743 | Steering bellcranks (l&r)/ draglink |
| 3743A | Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743G | Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743T | Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743P | Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743X | Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 3736 | Steering blocks, left & right (2) (requires 5x11x4mm bearings) |
| 3636A | Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3636G | Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3636T | Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) |
| 3636P | Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3636X | Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 3631 | Suspension arms (front) (2) |
| 3631X | Suspension arms, black, front, heavy duty (2) |
| 3631A | Suspension arms, blue, front, heavy duty (2) |
| 3631G | Suspension arms, green, front, heavy duty (2) |
| 3631T | Suspension arms, orange, front, heavy duty (2) |
| 3631R | Suspension arms, red, front, heavy duty (2) |
| 3631L | Suspension arms, white, front, heavy duty (2) |
| 2640 | Suspension pins, 44mm (2) w/ e-clips |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®) |
| 2532 | Tie bar, fiberglass |
| 1935 | Turnbuckles, 36mm (2) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |

Hardware

| | |
|-------|---------------------------------------------------------------|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 3935 | Body clip (mounting clip), angled, 90-degrees (10) |
| 3935A | Body clip (mounting clip), angled, 90-degrees (black) (10) |
| 3934 | Body clips, heavy duty (12) |
| 1589 | Double-sided adhesive tape (25mm x 25mm) (2) |
| 1633 | E-clips/ C-rings |
| 2586 | Screws, 3x15mm cap-head machine (hex drive) (6) |
| 2745 | Nuts, 3mm nylon locking (12) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747 | Nuts, 4mm nylon locking (10) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 1747P | Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 5525 | Rod ends (12)/ hollow balls (12) |
| 5347 | Rod ends, Rev o® (large) with hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |

| | |
|-------|-----------------------------------------------------------------------------------------------------------|
| 4859 | Screws, 3x10mm flat-head machine (hex drive) (4) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 3646 | Screws, 3x15mm flat-head machine (hex drive) (6) |
| 2583 | Screws, 3x18mm button-head machine (hex drive) (6) |
| 2580 | Screws, 3x20mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2592 | Screws, 3x40mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3937 | Screws, 4x12mm button-head machine (hex drive) (6) |
| 2542 | Screws, 4x12mm countersunk machine (hex drive) (6) |
| 2546 | Screws, 4x15mm countersunk machine (hex drive) (6) |
| 2743 | Set (grub) screws, 3mm hardened (12) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 3742 | Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |
| 2754 | Stub axle pins (4) |
| 2746 | Washers, 3x6mm metal (12) |

Motors & Electronics

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2260 | BEC assembly (complete) |
| 3790 | Gear adapter, fixed |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 3785 | Motor, Titan® 12T (12-Turn, 550 size) |
| 3351R | Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 3350R | Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R)) |
| 3355R | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Radio System, Batteries & Chargers

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------------------|
| 2842X | 5000mAh 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mAh 7.4v 2-Cell 25C LiPo Battery |
| 2869X | 7600mAh 7.4v 2-Cell 25C LiPo Battery |
| 2976 | AC to DC converter, 40W |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports) |
| 5526 | Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools |
| 5526R | Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools |
| 2943 | Battery charge indicators (green (4), blue (4), gray (4)) |
| 6548 | Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters) |
| 2914 | Battery, Power Cell AA Alkaline (4) |
| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) |
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2951X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |
| 2983 | Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1)) |
| 2992 | Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1)) |
| 2260 | BEC assembly (complete) |

Page 3 Ford® F-150 Raptor: TQ™ 2.4GHz Radio (Model 58094-1) Parts List

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------|
| 2975 | Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2973 | Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification |
| 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 2970 | Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 6525 | Communication link, telemetry expander |
| 2978 | Fuse, charger, 5A (2) (for #2974, 2975, 2977) |
| 2072A | Gear set (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |
| 6554 | Mount, telemetry expander (fits Bandit®, Rustler®, Slash 2WD) |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 6519 | Receiver, micro, TQ 2.4GHz (3-channel) |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 6526 | Sensor, auto-detectable, temperature |
| 6527 | Sensor, auto-detectable, voltage |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1) |
| 6521 | Sensor, temperature and voltage (long) |
| 2254 | Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) |
| 2253 | Servo case, aluminum (red-anodized) (middle) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6553X | Telemetry expander 2.0 and GPS module 2.0, TQi radio system |
| 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) |
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) |
| 6538 | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver) |
| 6516 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) |
| 6528 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only) |
| 6529 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only) |
| 6530 | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas Link™ Wireless Module |
| 3355R | Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake) |
| 6537 | Wire retainers, gear cover/ 3x4mm BCS (2) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |

Ready-To-Race Model

| | |
|---------|--------------------------------------------------------------------------------|
| 58094-1 | Ford® F-150 Raptor: 1/10-Scale Ford® F-150 Raptor with TQ™ 2.4GHz radio system |
|---------|--------------------------------------------------------------------------------|

Rear Suspension

| | |
|-------|------------------------------------------------------------------------------------------------------------------|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 1951 | Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4) |
| 3638 | Shock tower (rear) |
| 3752 | Stub axle carriers (2) (requires 5x11x4mm bearings) |
| 3652A | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4) |
| 3652G | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4) |
| 3652T | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4) |

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 3652P | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4) |
| 3652X | Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4) |
| 2753X | Stub axles, rear (2) |
| 2555 | Suspension arms, (rear) (2) |
| 2555X | Suspension arms, black, rear, heavy duty (2) |
| 2555A | Suspension arms, blue, rear, heavy duty (2) |
| 2555G | Suspension arms, green, rear, heavy duty (2) |
| 2555T | Suspension arms, orange, rear, heavy duty (2) |
| 2555R | Suspension arms, red, rear, heavy duty (2) |
| 2555L | Suspension arms, white, rear, heavy duty (2) |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |

Shock Oil

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------|
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 1667 | Silicone shock oil (30 wt), 60cc |
| 5038 | Spinning carousel rack |

Shocks (Pro-level Aluminum)

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------|
| 2664 | Big Bore shock cylinder (long) (1) |
| 5862 | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4) |
| 2660 | Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2) |
| 2662 | Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2667 | Shock caps, aluminum (Big Bore Shocks) (2) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 1765 | Silicone diaphragms (4) |
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) |
| 5860 | Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) |
| 5859 | Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) |

Shocks (Ultra Shocks)

| | |
|-------|----------------------------------------------------------------------------|
| 3765A | Body, Ultra Shock(s) (long) (gray) (2) |
| 3766A | Body, Ultra Shock(s) (XXL) (gray) (2) |
| 2362 | Rebuild kit, Ultra shocks (for 2 shocks) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 3767 | Shock caps (2)/ shock bottoms (2) |
| 8361 | Shock caps (black) (4) (assembled with hollow balls) |
| 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) |
| 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) |
| 3767T | Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks) |
| 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) |
| 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) |
| 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 2656T | Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) |
| 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 2656 | Shock shafts, steel, chrome finish (xx-long) (2) |
| 3642X | Shoulder screws, Ultra Shocks (3x12 hex drive) (6) |
| 1765 | Silicone diaphragms (4) |

Page 4 Ford® F-150 Raptor: TQ™ 2.4GHz Radio (Model 58094-1) Parts List

| | |
|-------|------------------------------------------------------------------------------------------------------|
| 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2)) |
| 2458 | Springs, front (black) (2) |
| 2458P | Springs, front (pink) (2) |
| 5857P | Springs, front (pink) (progressive rate) (2) |
| 2458A | Springs, front (white) (2) |
| 5857 | Springs, front (white) (progressive rate) (2) |
| 3757 | Springs, rear (black) (2) |
| 3757T | Springs, rear (blue) (2) |
| 3757A | Springs, rear (green) (2) |
| 3757P | Springs, rear (pink) (2) |
| 5858P | Springs, rear (pink) (progressive rate) (2) |
| 3757X | Springs, rear (white) (2) |
| 5858 | Springs, rear (white) (progressive rate) (2) |
| 4957 | Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2) |
| 3760 | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) |
| 3762 | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |
| 3760A | Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2) |
| 3762A | Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) |

Slipper Clutch Components

| | |
|-------|----------------------------------------------------------------------------------------------------------|
| 3793 | Input shaft (slipper shaft) / spring pin |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| 5556 | Slipper pressure plate & hub (aluminum alloy) |

Spur Gears & Pinion Gears

| | |
|------|---------------------------------------------------------------------------------------|
| 3790 | Gear adapter, fixed |
| 2416 | Gear, 16-T pinion (48-pitch) / set screw |
| 1918 | Gear, 18-T pinion (48-pitch) / set screw |
| 2419 | Gear, 19-T pinion (48-pitch) / set screw |
| 2423 | Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw |
| 2426 | Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw |
| 2431 | Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw |
| 4725 | Gear, pinion (25-tooth) (48-pitch) / set screw |
| 4728 | Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft) / set screw |
| 4683 | Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4686 | Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) |
| 4690 | Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) |

Steering Components

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| 2728 | Ball bearings (5x8x2.5mm) (2) |
| 2545 | Bellcrank bushings (plastic) (5x8x2.5mm) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5347 | Rod ends, Rev o® (large) with hollow balls (12) |
| 3744 | Servo saver w/adapters |
| 3742 | Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) |
| 3743 | Steering bellcranks (&r/) draglink |
| 3743A | Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743G | Steering bellcranks, drag link (green-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743T | Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743P | Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled) |
| 3743X | Steering bellcranks, drag link (red-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled) |
| 6845X | Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering |
| 1935 | Turnbuckles, 36mm (2) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |

| | |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |
| 2746 | Washers, 3x6mm metal (12) |

Suspension Linkage

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| 5525 | Rod ends (12)/ hollow balls (12) |
| 5347 | Rod ends, Rev o® (large) with hollow balls (12) |
| 3739 | Screw pin set (Rustler®, Bandit®, Stampede®) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 2640 | Suspension pins, 44mm (2) w/ e-clips |
| 3640 | Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |

Team Traxxas Items

| | |
|-------|--------------------------------------------------------------|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas® racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5854 | Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 1747P | Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 | PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings) |
| 1647 | Silicone grease |
| 2754 | Stub axle pins (4) |
| 5864 | Tire & wheel assy, glued (SCT black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) |
| 5885A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front) |
| 5883A | Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear) |
| 5880X | Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 5880 | Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 5882 | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) |
| 6873X | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFG Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |
| 5882R | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) |
| 6874R | Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) |

Page 5 Ford® F-150 Raptor: TQ™ 2.4GHz Radio (Model 58094-1) Parts List

| | | | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| 5877R | Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires) (2) (2WD front) | 1654 | Wheel hubs, hex (rear) (2)/ stub axle pins (2) |
| 6873R | Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) | 3654 | Wheel hubs, hex (tall off set, Rustler®/Stampede® front) (2)/ axle pins (2.5x10mm) (2) |
| 5863 | Tires & wheels, assembled, glued (SCT black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tire, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) | 5853X | Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm |
| 5869 | Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front) | 5353 | Wheel nuts, splined, 17mm (blue-anodized) (4) |
| 5867 | Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only) | 5480X | Wheel wrench, splined, 17mm |
| 5873R | Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r) | 5870X | Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) |
| 5881X | Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) | 5868X | Wheels, SCT black, orange beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 5875 | Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) | 5870 | Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) |
| 5873 | Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated) | 5868 | Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) |
| 5878 | Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only) | 5874 | Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) |
| 5881 | Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front) | 5872 | Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) |
| 5875X | Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front) | 5872X | Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) |
| 5873X | Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only) | 5874X | Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) |
| 5873A | Tires & wheels, assembled, glued (SCT satin chrome, red-beadlock style wheels, SCT off-road tires, foam inserts) (2) (4WD front/rear, 2WD rear only) | 5874A | Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) |
| 6873A | Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) | 5872A | Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) |
| 5891 | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated) | 5886A | Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) |
| 6873 | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated) | 5884A | Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 6874 | Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only) | 5886 | Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) |
| 5885 | Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD Front) | 5884 | Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2) |
| 5883 | Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear) | 6872X | Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2) |
| 5877A | Tires & wheels, assembled, glued (SCT Split-Spoke, chrome red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front) | 5876A | Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) |
| 5877 | Tires & wheels, assembled, glued (SCT Split-Spoke, satin chrome, black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front) | 6872A | Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2) |
| 5865 | Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only) | 5876 | Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (2WD front) (2) |
| 6876 | Tires & wheels, assembled, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only) | 6872 | Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2) |
| 6871 | Tires, BFGoodrich® Mud-Terrain T/A® KM2 (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2) | 5866 | Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only) |
| 6871R | Tires, BFGoodrich® Mud-Terrain T/A® KM2, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2) | 6875 | Wheels, SCT, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (4WD front/rear, 2WD rear only) |
| 6870 | Tires, Kumho (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2) | Transmission Components | |
| 6870R | Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7-2.2/3.0") (2)/ foam inserts (2) | | |
| 5871 | Tires, off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2) | 1552 | Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench |
| 5871R | Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7-2.2/3.0" (2)/ foam inserts (2) | 4607 | Ball bearings (5x11x4mm) (8) |
| | | 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| | | 3792 | Cover, gear/ rubber gear cover plug/ 3x6 RM (2) |
| | | 3790 | Gear adapter, fixed |
| | | 3691 | Gearbox halves (l&r) (black) w/ idler gear shaft |
| | | 3691A | Gearbox halves (l&r) (gray) w/ idler gear shaft |
| | | 5148 | Grease, white lithium |
| | | 9492 | Idler gear, 30-tooth/ idler gear shaft (steel) |
| | | 3696 | Idler gear, steel (30-tooth) |
| | | 9494 | Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash 2WD) |
| | | 3793 | Input shaft (slipper shaft)/ spring pin |
| | | 2381X | Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®) |
| | | 2382 | Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel |
| | | 2388X | Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®) |
| | | 9495 | Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash) |
| | | 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) |
| | | 2554 | Screws, 3x6mm cap-head machine (hex drive) (6) |
| | | 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| | | 1647 | Silicone grease |
| | | 5556 | Slipper pressure plate & hub (aluminum alloy) |
| | | 3195 | Top drive gear, steel (22-tooth) |
| | | 3695 | Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash) |

Traxxas Tools

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3433X | Body reamer (aluminum handle) |
| 3433 | Body reamer (plastic handle) |
| 3436 | Cap, body reamer |
| 3432 | Scissors, curved tip |
| 3431 | Scissors, straight tip |
| 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive |
| 8721 | Speed bit handle, medium (one piece) |
| 8720 | Speed bit handle, premium, large (rubber overmold) |
| 8722 | Speed bit handle, premium, medium (rubber overmold) |
| 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm), |
| 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8719 | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| 8716 | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive |
| 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 8715 | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive |
| 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive |
| 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) |
| 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle |

Turnbuckles & Threaded Rods

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 5525 | Rod ends (12)/ hollow balls (12) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 3139A | Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139G | Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139T | Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139P | Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3139X | Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477) |
| 3644 | Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash) |
| 3745 | Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM