

1/16 Slash 4WD (Model 70054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	7250R	Driveshafts, center (steel constant-velocity) front (1), rear (1) (fully assembled)
5124 7019	Ball bearings, blue rubber sealed (4x7x2.5mm) (2) Ball bearings, blue rubber sealed (4x8x3mm) (2)	7056	Half shafts, center front (1), center rear (1) (internal splined half shaft
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	7050	(2)/external splined half shaft) (2))/ metal u-joints (4) Half shafts, left or right (internal splined half shaft (2)/external splined
7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)	7055	half shaft) (2))/ metal u-joints (4)
	Body & Accessories	7055	Rebuild kit, steel constant-velocity driveshafts (includes pins, o rings, stub axles for driveshafts assemblies)
1926	Antenna caps, vinyl (2)/ antenna spool	7054	Stub axle, steel (2)/ y okes (2) (assembled)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	7154	Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
1834 7015	Body clips (12) (standard size) Body mounts, front & rear/ body mount posts, front & rear	7154X	Wheel hubs, hex, aluminum (blue-anodized) (4)
4915	Body washers, from alhesive (10)	7057	Yokes, differential and transmission (2)/ 3x10mm screw pin (2)
6716	Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)		Front Suspension
7012	Body, 1/16 Slash (clear, requires painting)/ grille, lights decal sheet	7033X	Aluminum caps, pivot ball (threaded aluminum, hard-anodized with PTFE-coating) (8)/ hex wrench, 5mm
7012X	Body, 1/16 Slash, ProGraphix® (replacement for painted body. Graphics are painted - requires paint and final color application) decal sheet	7034 7023	Axle carriers, left & right (2 each) Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
7012R	Body, 1/16th Slash (clear, requires painting)/ grille, lights decal sheet	7030X 7028	Bulkhead, front (left & right halves)/ 3x10mm BCS (4) Hollow balls (20)
7084R	Body, Mark Jenkins #25, 1/16 Slash (painted, decals applied)	7028X	Hollow balls, steel (machined)
7085	Body, Mike Jenkins #47, 1/16 Slash (painted, decals applied)	7033	Piv ot balls (4)/ piv ot ball caps (4)
2514	Decal sheet, racing sponsors	7018	Push rod (molded composite) (red) (4)/ hollow balls (8)
7013	Decal sheets, 1/16 Slash	7018X	Push rods, aluminum (red-anodized) (4) (assembled with rod
7013X 9950	Decal sheets, 1/16 Slash 4WD team truck Official Team Traxxas® racing decal set (flag logo/ 6-color)	7155	ends)
230U 		7155 7158	Rocker arm post, steel (4)
	Bumpers & Skidplates	2523	Rocker arm set, progressiv e-2/ plastic bushings (8) Screws, 2.5x10mm countersunk machine (hex drive) (6)
7035	Bumpers, front (1)/ rear (1)/ 2.5x14mm CS(2) (1/16 Slash)	7043	Steering arm (upper & lower)/ steering link/servohorn/servosaver/
7037	Skidplate set, front (1)/ rear (1)/ transmission (1)/ steering serv o guards (2) / steering serv o cover plate (1)		serv o sav er spring/ serv o horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
7015	Chassis & Attachments Body mounts, front & rear/ body mount posts, front & rear	7031	Suspension arm set, front (includes upper right & left and lower right & left arms)
7024X	Box, receiver (sealed)/ wire cover/ foam pads, upper & lower/ silicone	7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
	grease/ 2.5x8 CS (4)/ 3x4 GS (1)	7038	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)	7038X	Toe links, aluminum (red-anodized) (4) (assembled with rod end and threaded inserts)
7030X	Bulkhead, front (left & right halves)/ 3x10mm BCS (4)		Hardware
7029X 7022	Bulkhead, rear (left & right halves)/ 3x10mm BCS (4) Chassis	5124	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
7026	Door, battery compartment (1)/ vents, battery compartment (1 pair)	7019	Ball bearings, blue rubber sealed (4x8x3mm) (2)
. 020	(fits right or left side)	5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
7025	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	7020 5123	Ball bearings, blue rubber sealed (8x12x3.5mm) (2) Bellcrank bushings (plastic) (4x7x2.5mm) (4)
7037	Skidplate set, front (1)/ rear (1)/ transmission (1)/ steering serv o	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
7043	guards (2) / steering serv o cover plate (1) Steering arm (upper & lower)/ steering link/ serv o horn/ serv o sav er/	1834	Body clips (12) (standard size)
7043	serv o saver spring/ serv o horn mount/ ball stud (2)/ shock mounts,	5150	E-clips, 1.5mm (24)
	front & rear/ 2.5x18mm CS (4)	5477	Flat wrench, 5mm (blue-anodized aluminum)
	Differential Components	7028	Hollow balls (20)
7019	Ball bearings, blue rubber sealed (4x8x3mm) (2)	7028X	Hollow balls, steel (machined)
7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)	2745 3647	Nuts, 3mm ny lon locking (12) Nuts, 4mm flanged ny lon locking (steel, serrated) (8)
7080	Cov er plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
	2x14mm BCS (4)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
7078	Differential assembly (complete)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
7014 7294	Differential kit, center (complete)	1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
7381 5136X	Differential locker (2) Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
5136X 7082	Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights) Gear set, differential (output gears (2)/ spider gears (3))/ differential	7155 7059	Rocker arm post, steel (4) Rod ends (8)/ hollow balls (8)
	output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)	7059 3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
5130	Oil, differential (100K wt) (0.7 oz (20cc))	2523	Screws, 2.5x10mm cap-head machine (hex drive) (6)
5135	Oil, differential (10K wt, 50cc)	3236	Screws, 2.5x12mm cap-head machine (6)
5136	Oil, differential (30K wt, 50cc)	2526	Screws, 2.5x12mm countersunk machine (hex drive) (6)
5137 7014¥	Oil, differential (50K wt, 50cc)	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
7014X	Rebuild kit, center differential (includes o-rings and diff gear covers)	3965	Screws, 2.5x8mm cap-head machine (6)
7079	Ring gear, differential/ pinion gear, differential	2577 3159	Screws, 3x10mm button-head machine (hex drive) (6)
	Driveline Components	3 138	Screws, 3x10mm cap-head machine (hex drive) (6)/ lock washers (6) hex wrench
7034	Axle carriers, left & right (2 each)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
7034 7052	Drive cups, inner (2) (steel constant-velocity driveshafts)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
7 052 7051	Drive cups, inner (2) (steel constant-velocity drivesnatts) Driv eshaft assembly (1) left or right (fully assembled, ready to install)	2575	Screws, 3x6mm button-head machine (hex drive) (6)
	3x10mm screw pin (1)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
7051X	Driveshaft, steel constant-velocity (assembled) (4)	2743	Set (grub) screws, 3mm hardened (12)
7053	Driveshaft, steel constant-velocity (shaft only, 48mm)/ drive cup		Manuals
	pin (1)		Owner's manual, 1/16 Slash 4WD (model 7005)

	Motors & Electronics		Rear Suspension
2082A 2082X	Gear set (for 2080A micro waterproof servo) Gear set, metal (for 2080X micro waterproof servo)	7033X	Aluminum caps, pivot ball (threaded aluminum, hard-anodized with PTFE-coating) (8)/ hex wrench, 5mm
3374	Heat sink, Velineon® 380 brushless motor, aluminum (blue-	7034	Axle carriers, left & right (2 each)
7060	anodized) Motor mount, finned aluminum	7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
7360	Motor mount, finned aluminum (for 550 motors)	7029X	Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)
3785	Motor, Titan® 12T (12-Turn, 550 size)	7028	Hollow balls (20)
3371	Motor, Velineon® Mini Maxx® 380, brushless (assembled with	7028X	Hollow balls, steel (machined)
00044	16-gauge wire and gold-plated connectors)	7033	Piv ot balls (4)/ piv ot ball caps (4)
2081A	Servicioses/ gaskets (for 2080A micro waterproof service)	7018	Push rod (molded composite) (red) (4)/ hollow balls (8)
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)	7018X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
2080A	Serv o, micro, waterproof	7155	Rocker arm post, steel (4)
2080X 3370	Servo, micro, waterproof, metal gear	7158 2523	Rocker arm set, progressiv e-2/ plastic bushings (8) Screws, 2.5x10mm countersunk machine (hex drive) (6)
3375	Velineon® VXL-3m Brushless Power System, waterproof (includes waterproof VXL-3m ESC and Velineon 380 motor) VXL-3m Electronic Speed Control, waterproof (brushless)	7043	Steering arm (upper & lower)/ steering link/servohorn/servosaver/ servosaverspring/servohorn mount/ball stud (2)/shock mounts,
3024R	XL 2.5 Electronic Speed Control, waterproof	7032	front & rear/ 2.5x18mm CS (4) Suspension arm set, rear (includes upper right & left and lower right
	Radio System, Batteries & Chargers	7032	& left arms) (1/16 Slash)
2820X	2200mAh 7.4v 2-Cell 25C LiPo Battery	7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
2976 2938X	AC to DC converter, 40W	7038	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)	7038X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)
2943 6548	Battery charge indicators (green (4), blue (4), gray (4)) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,		Shock Oil
-	6530 transmitters)	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2914	Battery, Power Cell AA Alkaline (4)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2925X	Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A)	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2974	Charger, DC, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH)	5034 5035	Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
	Battery Identification	5029	Shock oil bottle (60cc) (for mixing shock oil)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification	1667 5038	Silicone shock oil (30 wt), 60cc Spinning carousel rack
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto		Shocks (GTR)
2978	Battery Identification Fuse, charger, 5A (2) (for #2974, 2975, 2977)	7066	Body, GTR shock (molded composite) (2)
2082A	Gear set (for 2080A micro waterproof servo)	7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls
2082X	Gear set, metal (for 2080X micro waterproof servo)	7000	(4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	7028 7067	Hollow balls (20) Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
2968	Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-
CESE	Traxxas® iD® batteries)	7063	clips, shock rod ends, hollow balls) (renews 2 shocks) Shaft, GTR shock (2)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	7063T	Shaft, GTR shock (TiN-coated) (4)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	7061	Shocks, GTR composite (assembled, without springs) (2)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	7061X	Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts
6522	Sensor, RPM (short)/ 3x4mm BCS (2)		(fully assembled, without springs) (4)
6523 2081A	Sensor, temperature and voltage (short) Serv o case/ gaskets (for 2080A micro waterproof serv o)		Slipper Clutch Components
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof	7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad,
	servo)		spring, 3.0mm NL, 1.5x6mm pin)
2080A	Serv o, micro, waterproof		Springs
2080X	Servo, micro, waterproof, metal gear	7140	Spring, shock (GTR) (0.82 rate, double orange) (1 pair)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)	7141 7142	Spring, shock (GTR) (0.88 rate, double green) (1 pair) Spring, shock (GTR) (0.94 rate, double tan) (1 pair)
6540	Telemetry trigger magnet, 5X2mm (1)	7143	Spring, shock (GTR) (1.02 rate, double tall) (1 pair)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas		Spur Gears & Pinion Gears
6507R	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas	2428	Gear, 12-T pinion (48-pitch) (fits 3mm shaft)/ set screw
0007K	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro	2416	Gear, 16-T pinion (48-pitch) / set screw
6516	receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	1918 2419	Gear, 18-T pinion (48-pitch) / set screw
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	2419 2423	Gear, 19-T pinion (48-pitch) / set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
	channel (transmitter only)	2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only)	2431 4725	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	4728	Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft)/ set screw
6511	channel (transmitter only) Traxxas Link™ Wireless Module	7045R	Spur gear, 45-tooth
3375	VXL-3m Electronic Speed Control, waterproof (brushless)	7046R	Spur gear, 55-tooth
3064X	Wire harness, parallel battery connection (compatible with	7047R	Spur gear, 55-tooth
3024D	Traxxas® High Current Connector, NiMH only)	5114	Steering Components Ball bearings, blue rubber sealed (5x8x2 5mm) (2)
3024R	XL 2.5 Electronic Speed Control, waterproof	5114 2545	Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)
700-1	Ready-To-Race Model	-	
70054-1	Slash: 1/16-Scale Pro 4WD Short Course Racing Truck with TO™		

70054-1 Slash: 1/16-Scale Pro 4WD Short Course Racing Truck with TQ™ 2.4GHz radio

Page 3 1/16	Slash 4WD:	Titan® 550 motor,	TQ™ 2.4 radio (Model 70054-1) Parts List
-------------	------------	-------------------	-----------------	---------------	--------------

Page 3	1/16 Slash 4WD: Titan® 550 motor, TQ™ 2.4 radio (Model
7043	Steering arm (upper & lower)/ steering link/ serv o horn/ serv o sav er/ serv o sav er spring/ serv o horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)	2748R
7038 7038X	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8) Toe links, aluminum (red-anodized) (4) (assembled with rod ends	3415
	and threaded inserts)	
7028	SUSTON LINKAGO Hollow balls (20)	
7028X	Hollow balls, steel (machined)	
7018	Push rod (molded composite) (red) (4)/ hollow balls (8)	7028
7018X	Push rods, aluminum (red-anodized) (4) (assembled with rod	7028X
7021	ends) Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)	7018 7018X
7021	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)	701020
7038X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)	7038 7038X
	Tires & Wheels	
7073A	Tires and wheels, assembled, glued (SCT satin chrome wheels, red beadlock style, SCT off-road racing tires, foam inserts) (1 each, right	
7073	& left) Tires and wheels, assembled, glued (SCT satin chrome wheels, SCT off-road racing tires, foam inserts) (1 each, right & left)	
7071	Tires, off-road racing, SCT dual profile (1 each, right & left)/ foam inserts (2)	
7154	Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)	
7154X	Wheel hubs, hex, aluminum (blue-anodized) (4)	
7072A	Wheels, SCT satin chrome, red beadlock style, dual profile (1.8" inner, 1.4" outer) (2)	
	Transmission Components	
7077R	Cover, gear/ motor mount hinge post/ 3x10mm CS with split and	
	flat washers (1)/ 3x8mm BCS (1)	
7379R	Cover, gear/motor plate access cover/ motor mount hinge post / 3x10mm CS w/split and flat washers (1) / 2.5x4mm CS (2) / 3x8mm BCS (1) (for 550 motors)	
7014	Differential kit, center (complete)	
7093	Gear set, transmission (includes 18T, 25T input gears, 13T idler gear (steel), 35T output gear, M3x13.75 screw pin)	
7091 7092	Gearbox halves, front & rear Input shaft/ output shaft	
7092	Plate, motor	
7380	Plate, motor (for 550 motor)	
7014X	Rebuild kit, center differential (includes o-rings and diff gear covers)	
7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)	
7095	Transmission, complete (fits 1/16-scale brushed models)	
	Traxxas Tools	
3433X	Body reamer (aluminum handle)	
3433 3436	Body reamer (plastic handle) Cap, body reamer	
3432	Scissors, curved tip	
3431	Scissors, straight tip	
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,	
0704	and 8.0mm), 1/4" drive	
8721 8720	Speed bit handle, medium (one piece) Speed bit handle, premium, large (rubber overmold)	
8722	Speed bit handle, premium, rarge (rubber overmold)	
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes	
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),	
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive	
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive	
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive	
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive	
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive	
×/16¥	Shood Kit Sot hav driver A-hierc ctraight /1 Emm 7 fimm	

Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,

2.5mm, 3.0mm), 1/4" drive

8715X

Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,

3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

7028X Hollow balls, steel (machined) Push rod (molded composite) (red) (4)/ hollow balls (8) 7018 7018X Push rods, aluminum (red-anodized) (4) (assembled with rod 7038 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8) 7038X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM