



Rustler® (Model 37054-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4608 **Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 **Ball bearings, blue rubber sealed (5x8x2.5mm) (2)**
- 2545 Bellcrank bushings (plastic) (5x8x2.5mm) (4)
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 **Antenna caps, vinyl (2)/ antenna spool**
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 3934 **Body clips, heavy duty (12)**
- 1914R Body mount, front & rear (black)/ body posts, 52mm (2), 38mm (2), 25mm (2), 6.5mm (2)/ body post extensions (4)/ hardware
- 3614 **Body mounts (front & rear)**
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)**
- 3714 **Body, Rustler® (clear, requires painting)/window, lights decal sheet/ wing and aluminum hardware**
- 3749 **Body, Rustler®, Hawaiian graphics (painted, decals applied)**
- 3748 **Body, Rustler®, Rock n' Roll (painted, decals applied)**
- 2514 **Decal sheet, racing sponsors**
- 3716 Decal sheets, Rustler®
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**
- 5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 **Wheelie bar mount (1)/ hardware (black)**
- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 **Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678X **Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678A **Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678T **Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678P **Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678R **Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Chassis & Attachments

- 3725X **Battery expansion kit (allows for installation of taller multi-cell battery packs)**
- 3727 **Battery hold-down plate (black)/ metal posts (2)/body clips (2)**
- 3727A Battery hold-down plate (gray)/ metal posts (2) / body clips (2)
- 3628 Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
- 2735 Bumper (front)
- 2735P **Bumper (front) (pink)**
- 3722X **Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3728 **Lower chassis (black) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3722R **Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3728A **Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs) (use only with #3725R ESC mounting plate)**
- 3725R Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Rustler®)
- 3629 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 5185 **Tires, rubber (2) (fits Traxxas® wheelie bar wheels)**
- 3723 **Upper chassis (black)**
- 3729 **Upper chassis (black)**

- 3723A **Upper chassis (gray)**
- 3729A **Upper chassis (gray)**
- 4974 **Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)**
- 3677A **Wheelie bar mount (1) / hardware (green)**
- 3677P **Wheelie bar mount (1) / hardware (pink)**
- 3677 **Wheelie bar mount (1)/ hardware (black)**
- 3677X **Wheelie bar mount (1)/ hardware (blue)**
- 3678 **Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678X **Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678A **Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678T **Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678P **Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 3678R **Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series)**
- 9460 **Wheelie bar, black (assembled)/ wheelie bar mount**
- 4976 **Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)**
- 5186A **Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**
- 5186 **Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)**

Differential Components

- 2380 **Differential, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)**
- 2381X Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
- 2382 Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
- 2388X Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
- 5169 Screws, 2.6x8mm countersunk machine (6)
- 1647 Silicone grease

Driveline Components

- 5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
- 1675 Bushings, self-lubricating (5x11x4mm) (14)
- 4628R Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2)
- 4628X **Differential output yokes, hardened steel (w/ U-joints) (2)**
- 6828X **Differential output yokes, heavy duty (2)/ screw pin (2)**
- 1951R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) (fits 2WD Rustler/Stampede)**
- 1953 **Half shaft pro-pack (internal-splined (6)/ external-splined (6) (plastic shafts only)**
- 6752 **Half shaft, external splined (steel-spline constant-velocity) (1) (fits 2WD Rustler/Stampede)**
- 6751 **Half shaft, internal splined (steel-spline constant-velocity) (1)**
- 6850X **Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)**
- 1951 Half shafts, long truck (external-splined (2) & internal-splined (2)/ metal U-joints (4)
- 6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
- 3752 Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
- 3652A **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)**
- 3652G **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)**
- 3652T **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)**
- 3652P **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)**
- 3652X **Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)**
- 2754 Stub axle pins (4)
- 6753 **Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**
- 2753X Stub axles, rear (2)
- 6853X **Stub axles, rear, heavy duty (2)/pins (2)**

Front Suspension & Steering

- 3637 Axles (front) (2)
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**

Page 2 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-1) Parts List

2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
2530	Bulkhead (front) (black)
2530A	Bulkhead (front) (gray)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3632	Caster blocks (l&r) (30-degree)
3632A	Caster blocks, 30-degree, blue-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632G	Caster blocks, 30-degree, green-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632T	Caster blocks, 30-degree, orange-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632P	Caster blocks, 30-degree, pink-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
3632X	Caster blocks, 30-degree, red-anodized 6061-T6 aluminum (left & right)/ suspension screw pin (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3744	Servo saver w/adapters
3639	Shock tower (front)
3736	Steering blocks, left & right (2) (requires 5x11x4mm bushings or bearings)
3636A	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3636G	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3636T	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3636P	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3636X	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
3631	Suspension arms (front) (2)
3631X	Suspension arms, black, front, heavy duty (2)
3631A	Suspension arms, blue, front, heavy duty (2)
3631G	Suspension arms, green, front, heavy duty (2)
3631T	Suspension arms, orange, front, heavy duty (2)
3631R	Suspension arms, red, front, heavy duty (2)
3631L	Suspension arms, white, front, heavy duty (2)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
2532	Tie bar, fiberglass (requires suspension pins, part# 2640)
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set)
3139	Turnbuckles (62mm) (front tie rods) (2)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)

3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642	Shoulder screws, Ultra Shocks (3x12) (6)
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1834	Body clips (12) (standard size)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®, Bandit®, Stampede®)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2676	Screws, 3x12mm roundhead self-tapping (6)
3186	Screws, 3x12mm washerhead machine (6)
2649	Screws, 3x15mm countersunk self-tapping (6)
3187	Screws, 3x15mm washerhead machine (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
3290	Screws, 3x8mm washerhead self-tapping (6)
2548	Screws, 4x12mm countersunk machine (100-degree) (6)
3167	Screws, 4x15mm countersunk machine (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
2754	Stub axle pins (4)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
2746	Washers, 3x6mm metal (12)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1552	Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench
2260	BEC assembly (complete)
3790	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
1275	Motor, Stinger (20-turn, 540 size) (requires 19-tooth pinion with factory installed spur gear on models originally equipped with the Titan 12T)
3785	Motor, Titan® 12T (12-Turn, 550 size)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Rustler®)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof

Page 3 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-1) Parts List

2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X 2056	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case)
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X 2056	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case)
6553X 6550X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540 6509R	Telemetry trigger magnet, 5X2mm (1) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
6537	Wire retainers, gear cover/ 3x4mm BCS (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators (green (4), blue (4), gray (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2922X	Battery, Power Cell, 3000mAh (NiMH, 6-C flat, 7.2V)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
2942X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2984	Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2260	BEC assembly (complete)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6554	Mount, telemetry expander (fits Bandit®, Rustler®, Slash 2WD)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2053	Servo gears (for 2055, 2056 servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof

Ready-To-Race Model

37054-1 Rustler®: 1/10 Scale Stadium Truck with TQ™ 2.4 GHz radio system

Rear Suspension

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)
3739	Screw pin set (Rustler®, Bandit®, Stampede®)
3638	Shock tower (rear)
3752	Stub axle carriers (2) (requires 5x11x4mm bushings or bearings)
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)
3652T	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3652P	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3652X	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2753X	Stub axles, rear (2)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655X	Suspension arms, left & right
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
3655A	Suspension arms, white, front/rear (left & right), heavy duty (2)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667	Silicone shock oil (30 wt), 60cc
5038	Spinning carousel rack

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)

Page 4 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-1) Parts List

2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)

Shocks (Ultra Shocks)

3642	Shoulder screws, Ultra Shocks (3x12) (6)
3765A	Body, Ultra Shock(s) (long) (gray) (2)
3766A	Body, Ultra Shock(s) (XXL) (gray) (2)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
2458	Springs, front (black) (2)
3758	Springs, front (black) (2)
3758T	Springs, front (blue) (2)
3758A	Springs, front (green) (2)
2458P	Springs, front (pink) (2)
3758R	Springs, front (red) (2)
2458A	Springs, front (white) (2)
3758X	Springs, front (white) (2)
3757	Springs, rear (black) (2)
3757T	Springs, rear (blue) (2)
3757A	Springs, rear (green) (2)
3757P	Springs, rear (pink) (2)
3757X	Springs, rear (white) (2)
4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

3793	Input shaft (slipper shaft) / spring pin
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
5556	Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790	Gear adapter, fixed
2416	Gear, 16-T pinion (48-pitch) / set screw
1918	Gear, 18-T pinion (48-pitch) / set screw
2419	Gear, 19-T pinion (48-pitch) / set screw
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
4725	Gear, pinion (25-tooth) (48-pitch) / set screw
4728	Gear, pinion (28-tooth) (48-pitch) (fits 3mm shaft) / set screw

4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)

Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3744	Servo saver w/adapters
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3743	Steering bellcranks (l&r)/ draglink
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2537	Threaded rods (20/25/44mm 1 ea.)/(1) 12mm set screw
3139	Turnbuckles (62mm) (front tie rods) (2)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Suspension Linkage

3642	Shoulder screws, Ultra Shocks (3x12) (6)
3641A	Camber link set (plastic / non-adjustable) (front & rear) (gray)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3739	Screw pin set (Rustler®, Bandit®, Stampede®)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)
2537	Threaded rods (20/25/44mm 1 ea.)/(1) 12mm set screw
3737A	Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)
3738A	Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)
3737	Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set)

Page 5 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-1) Parts List

3738	Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)	6775X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links) (requires #2742 rod ends)	6774X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3139	Turnbuckles (62mm) (front tie rods) (2)	6773X	Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
2336	Turnbuckles, 78mm (optional rear camber rods) (2)	6768	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741A	Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6775	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139A	Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6774	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3741G	Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6773	Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139G	Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6768G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3741T	Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6775G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3139T	Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6774G	Tires & wheels, assembled, glued (2.8") (RXT green wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3741P	Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench	6768A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)
3139P	Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6775A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3741X	Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench	6774A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3139X	Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)	6773A	Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6774R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon Extreme tires, foam inserts) (2WD electric rear) (2) (TSM rated)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	6773R	Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
3745	Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)	3773A	Tires & wheels, assembled, glued (All Star black chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)
Team Traxxas Items			
2514	Decal sheet, racing sponsors	3773	Tires & wheels, assembled, glued (All Star chrome wheels, Anaconda® tires, foam inserts) (2WD electric rear) (1 left, 1 right)
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	3776A	Tires & wheels, assembled, glued (All-Star black chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	5576R	Tires & wheels, assembled, glued (All-Star chrome wheels, Anaconda® tires, foam inserts) (nitro rear/ electric front) (1 left, 1 right)
9909	Traxxas® racing banner, red & black (3x7 feet)	6792	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
Tires & Wheels			
4608	Ball Bearings (5x11x4mm) (6)/ 5x8x2.5mm (8)	3778	Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (electric rear) (2) (TSM® rated)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5569	Tires, Alias 2.8" (rear) (2)/ foam inserts (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	5578	Tires, Anaconda® 2.8" (2)/ foam inserts (2)
1675	Bushings, self-lubricating (5x11x4mm) (14)	4791	Tires, Pro-Trax mini-spiked 2.2" (rear) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	4790R	Tires, Pro-Trax spiked 2.2" (soft-compound)(rear) (2)/ foam inserts (2)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	5563	Tires, Ribbed 2.8" (front) (2)/ foam inserts (2)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	3654	Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x12mm) (2)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	5853X	Wheel hubs, splined, 17mm, short (2), long (2)/wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4x0.7 (4)/axle pin (4)/wrench, 5mm
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)	5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	5480X	Wheel wrench, splined, 17mm
1647	Silicone grease	3772A	Wheels, All-Star 2.8" (black chrome) (2WD electric rear)
2754	Stub axle pins (4)	5576A	Wheels, All-Star 2.8" (black chrome) (nitro rear/ electric front) (2)
3770A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Alias® tires, foam inserts) (rear) (2) (TSM rated)	3772	Wheels, All-Star 2.8" (chrome) (2WD electric rear)
3776	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (2WD electric rear) (2) (TSM rated)	5576	Wheels, All Star 2.8" (chrome) (2) (Rustler/Stampede front)
3771A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, ribbed tires, foam inserts) (electric front) (2)	3673	Wheels, chrome (2.2") (front) (2)
3770	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Alias® tires, foam inserts) (2WD electric rear) (2)	3672	Wheels, chrome (2.2") (rear) (2)
3771	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, ribbed tires, foam inserts) (electric front) (2)	3675	Wheels, dyeable nylon 2.2 (front) (2)
6773G	Tires & wheels, assembled, glued (2.8") (RXT 4X4 green wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)		
6768X	Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (2WD electric rear) (2) (TSM® rated)		

Page 6 Rustler®: TQ™ 2.4 GHz Radio (Model 37054-1) Parts List

- 3674 **Wheels, dyeable nylon 2.2 (rear) (2)**
- 3774 **Wheels, Twin-Spoke 2.8" (chrome) (2WD electric rear) (2)**
- 5572 **Wheels, Twin-Spoke 2.8" (chrome) (nitro rear/ electric front) (2)**

Transmission Components

- 1552 **Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
- 4607 **Ball bearings (5x11x4mm) (8)**
- 5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
- 3792 **Cover, gear/ rubber gear cover plug/ 3x6 RM (2)**
- 5478 **Flat wrench, 8mm (blue-anodized aluminum)**
- 3790 **Gear adapter, fixed**
- 3691 **Gearbox halves (l&r) (black) w/ idler gear shaft**
- 3691A **Gearbox halves (l&r) (gray) w/ idler gear shaft**
- 5148 **Grease, white lithium**
- 9492 **Idler gear, 30-tooth/ idler gear shaft (steel)**
- 3696 **Idler gear, steel (30-tooth)**
- 9494 **Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash 2WD)**
- 3793 **Input shaft (slipper shaft) / spring pin**
- 2381X **Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)**
- 2382 **Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel**
- 2388X **Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)**
- 9495 **Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)**
- 5552X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))**
- 2554 **Screws, 3x6mm cap-head machine (hex drive) (6)**
- 3185X **Screws, 3x8mm washerhead machine (large head for motor mount) (6)**
- 1647 **Silicone grease**
- 5556 **Slipper pressure plate & hub (aluminum alloy)**
- 3195 **Top drive gear, steel (22-tooth)**
- 3695 **Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)**

Traxxas Tools

- 3433X **Body reamer (aluminum handle)**
- 3433 **Body reamer (plastic handle)**
- 3436 **Cap, body reamer**
- 3432 **Scissors, curved tip**
- 3431 **Scissors, straight tip**
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8721 **Speed bit handle, medium (one piece)**
- 8720 **Speed bit handle, premium, large (rubber overmold)**
- 8722 **Speed bit handle, premium, medium (rubber overmold)**
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
- 3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle**

Turnbuckles & Threaded Rods

- 1942 **Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
- 5525R **Rod ends, heavy duty (Jato®/Slayer) (8)**

- 2742 **Rod ends, long (6)/ hollow ball connectors (6)**
- 5347 **Rod ends, Revo® (large) with hollow balls (12)**
- 2742X **Rod ends, short (6)/ hollow balls (6)**
- 2537 **Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw**
- 3737A **Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741A for complete camber link set)**
- 3738A **Turnbuckle, aluminum (blue-anodized), camber link, rear, 49mm (1) (assembled w/ rod ends & hollow balls) (See part 3741A for complete camber link set)**
- 3737 **Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/ hollow balls (2) (See part 3741X for complete camber link set)**
- 3738 **Turnbuckle, aluminum (red-anodized), camber link, rear, 49mm (1) (assembled with rod ends & hollow balls) (See part 3741X for complete camber link set)**
- 1937 **Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)**
- 3139 **Turnbuckles (62mm) (front tie rods) (2)**
- 2336 **Turnbuckles, 78mm (optional rear camber rods) (2)**
- 3741A **Turnbuckles, aluminum (blue-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3741G **Turnbuckles, aluminum (green-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3741T **Turnbuckles, aluminum (orange-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3741P **Turnbuckles, aluminum (pink-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/rod ends & hollow balls)/ wrench**
- 3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3741X **Turnbuckles, aluminum (red-anodized), camber links, front, 39mm (2), rear, 49mm (2) (assembled w/ rod ends & hollow balls)/wrench**
- 3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
- 3644 **Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
- 3643 **Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)**
- 3745 **Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM